

CPVO VARIETY DESCRIPTION

1. Reference number of reporting authority	331166
2. Reference number of requesting authority	
3. Breeders reference	SZD 0016
4. Applicant (name and address)	Saatzucht Donau GmbH & Co. KG, Saatzuchtstrasse 11, A-2301 Probstdorf, AT
<hr/>	
5.(a) Botanical name of taxon	Triticum aestivum L.
(b) UPOV code:	TRITI_AES
6. Common name of taxon	Winter wheat
7. Variety denomination	Amicus
8.(a) Date and document number of UPOV Test Guidelines	
(b) Date and document number of CPVO Technical Protocol	23. 06. 2008. CPVO-TP/3/4
9. Date and/or document number of Reporting Authority's test guidelines:	
10. Reporting authority	NÉBIH, Budapest
11. Testing station(s) and place(s)	Stations of NÉBIH: Tordas, Szombathely
12. Period of testing	2008/2009; 2009/2010; 2010/2011
13. Date and place of issue of document	07. 09. 2012. Budapest
14. <u>Group</u> : (if characteristics of number 15 are used grouping, they are marked with a G in that number)	
15. <u>Characteristics Included in the CPVO Test Protocol or UPOV Test Guidelines</u>	

CPVO UPOV

No	Characteristics	States of expression	Note
-----------	------------------------	-----------------------------	-------------

1.	1.Coleoptile: anthocyanin coloration	absent or very weak	1
2.	2.Plant: growth habit	semi-erect to intermediate	4
3.	4.Plant: frequency of plants with recurved flag leaves	very low to low	2
4.	5.Time of ear emergence (first spikelet visible on 50% of ears)	medium	5
5.	6.Flag leaf: glaucosity of sheath	medium	5
6.	-Flag leaf: glaucosity of blade (lower side)	weak	3
7.	7.Ear: glaucosity	medium	5
8.	8.Culm: glaucosity of neck	strong	7
9.	9.Plant: length (stem, ear, awns and scurs)	medium	5
G-10.	10. Straw: pith in cross section (halfway between base of aer and node below)	thin	3
11.	11.Ear: shape in profile	tapering	1
12.	12.Ear: density	lax	3
13.	13.Ear: length (excluding awns or scurs)	medium to long	6
G-14.	14. Awns or scurs: presence	scurs present	2
15.	15.Awns or scurs at tip of ear: length	very short to short	2
G-16.	16.Ear: colour	white	1
17.	17.Apical rachis segment: hairiness of convex surface	weak	3
18.	18. Lower glume: shoulder width (spikelet in midthird of ear)	narrow	3
19.	19.Lower glume: shoulder shape (as for 18.)	elevated	7
20.	20.Lower glume: beak length (as for 18.)	very short to short	2
21.	21.Lower glume: beak shape (as for 18.)	straight to slightly curved	2
22.	22.Lower glume: extent of internal hair (as for 18.)	weak to medium	4
23.	24.Grain: colour	red	2
24.	25.Grain: coloration with phenol	medium to dark	6
G-25.	26. Seasonal type	winter type	1

Reference number of reporting authority: 331166

16. Similar Varieties and Differences in Relation to Those Varieties:

Denomination of similar variety	Characteristic in which the similar variety is different	State of expression of similar variety	State of expression of candidate variety
Balerina	3 , Plant: frequency of plants with recurved flag leaves	5/ medium	2/ very low to low
	5 , Flag leaf: glaucosity of sheath	3/ weak	5/ medium
	15 , Awns or scurs at tip of ear: length	5/ medium	2/ very short to short

17. Additional Information:

a) Additional Data:

b) Remarks: